MOTION SICKNESS RELIEF- meclizine hcl tablet DOLGENCORP, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dollar General 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- to prevent motion sickness, take the first dose ½ hour to 1 hour before starting activity
- to treat motion sickness, take at first signs of symptoms
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, silicon dioxide

Questions or comments?

1-888-309-9030

Principal Display Panel

DG™ | Health

Compare to the active ingredient of Dramamine® All Day Less Drowsy*

Less Drowsy Formula

Motion Sickness

Relief

Meclizine HCI 25 mg / Antiemetic

- Up to 24 hours of protection
- Prevents nausea , dizziness & vomiting

8 Tablets

Actual Tablet Size

25

mg each

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY DOLGENCORP, LLC 100 MISSION RIDGE GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed (888)-309-9030

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® All Day Less Drowsy.

50844 ORG021940319

DG™ health



Compare to the active ingredient of Dramamine® All Day Less Drowsy

Less Drowsy Formula Motion Sickness Relief

Less Drowsy Formula

Sickness Relief

DG health

Compare to the active ingredient of Dramamine® All Day Less Drowsy

Less Drowsy Formula

Motion Sickness

Meclizine HCl 25 mg/Antiemetic

- Up to 24 hours of protection
- Prevents nausea, dizziness & vomiting

25 mg each



8 Tablets

Actual Tablet Size

ickness Relief



0206-602 (888) **Guaranteed!** Satisfaction **%00L**

GOODLETTSVILLE, TN 37072 JOO WIZZION BIDGE рогееисовь, гес DISTRIBUTED BY

Dramamine® All Day Less Drowsy. Medtech Products Inc., owner of the registered trademark This product is not manufactured or distributed by

Questions or comments? 1-888-309-9030

aluminum lake, lactose anhydrous, magnesium stearate, INACTIVE INGREDIENTS corn starch, D&C yellow #10

■ see end flap for expiration date and lot number

 brosect from heat and humidity 12°-30°C (59°-86°F)

■ store at 25°C (77°F); excursions permitted between OPENED OR BLISTER IS TORN OR BROKEN ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Uther information

daily, or as directed by a doctor

a squits and children 12 years and over; 1 to 2 tablets once ■ to treat motion sickness, take at first signs of symptoms If pregnant or breast-feeding, ask a health professional

- nee cantion when driving a motor vehicle or operating CLOWSIDESS
- sicopof, sedabves, and tranquitizers may increase
- quowsiness may occur avoid alcoholic beverages When using this product

sedatives or tranquilizers.


Ask a doctor or pharmacist before use it you are taking

- s preathing problem such as emphysema or chronic
- quiticulty in unination due to enlargement of the prostate Ask a doctor before use if you have ■ glaucoma

directed by a doctor.

Do not use for children under 12 years of age unless warnings

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



MOTION SICKNESS RELIEF

meclizine hcl tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55910-943

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE UNII:3L5TQ84570)

Basis of Strength

MECLIZINE
HYDROCHLORIDE

25 mg

Inactive Ingredients

Ingredient Name	Strength
TARCH CORN (LINII: ORDERNYSCI)	

STARCH, CORN (UNII: 08232NY3SJ)

D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)

ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)
MAGNESIUM STEARATE (UNII: 70097M6I30)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

	ristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;403
Contains			

Pac	kag	ing

Marketing Start Marketing End

7	, ire	in Code	г аскаде резсприоп	Date	Date
	NDC:	55910-943-	1 in 1 CARTON	06/01/2019	
:	L		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part336	06/01/2019		

Labeler - DOLGENCORP, LLC (068331990)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-943)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(55910-943)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55910-943)

Revised: 4/2021 DOLGENCORP, LLC